

**NTPC LTD**  
**CC-OS**  
**EOC NOIDA**

**Sub: Qualifying Requirement for Vendor Enlistment for supply of Chlorine Liquid, IS :646**

A)	MEG DETAILS		
	1.0	MEG NO.	10MEC-12
	2.0	MEG DESCRIPTION	Chlorine Liquid, IS: 646
	3.0	RESPONSIBILITY CENTRE	SR
B)	<p><b>Technical Criteria of QR:</b></p> <ol style="list-style-type: none"> <li>1. The applicant should be a manufacturer of Chlorine.</li> <li>2. The applicant should have supplied Chlorine as per IS 646.</li> <li>3. The applicant should have valid documentation from controller of explosive.</li> </ol>		
C)	<p><b>Other Documents to be submitted:</b> In addition to the documents required in support of meeting technical requirements as stated above, following documents are required to be submitted by the Applicants applying for enlistment:-</p> <ol style="list-style-type: none"> <li>1. Three POs of the highest executed values of similar work during previous five years from the date of application. Copy of Invoice / Completion certificate from the concerned buyer/s in support of successful execution of supply against the POs to be submitted.</li> <li>2. Audited balance sheet including Profit &amp; Loss statement for the previous three completed financial years reckoned from the date of application. In case the audited documents are not ready / available, then certified copy by a registered practicing Chartered accountant may be submitted.</li> <li>3. Latest annual report OR NSIC / SSI / MSME registration certificate / BIS license / ISO certificate / Certificate of registration from the concerned excise department / any other statutory document as a proof of being manufacturer of the required material.</li> <li>4. Any other documents in addition to the above which the applicant wants to submit.</li> </ol>		
D)	NOTE-1	Similar works means: Supply of CHLORINE as per IS 646.	
	NOTE-2	The executed value means Basic value of quantity of similar works executed/supplied against the reference PO(also applicable to partly executed POs as on date of application).Where PO value is composite(i.e. including Taxes etc.),the applicant to give item-wise break-up of Composite PO value mentioning Basic Value, Taxes etc.	

**NTPC LTD**  
**CC-OS**  
**EOC NOIDA**

**Sub: Technical Specifications for Vendor Enlistment for supply of Chlorine Liquid, IS:646**

A)	MEG DETAILS		
	1.0	MEG NO.	10MEC-12
	2.0	MEG DESCRIPTION	Chlorine Liquid, IS: 646
	3.0	RESPONSIBILITY CENTRE	SR
B)	<p><b>Technical Specifications:</b></p> <p><b>GENERAL</b></p> <p>The material should confirm the requirements as per IS : 646 and to be supplied generally in NTPC tonners/ cylinders. Unit of Measurement : MT</p> <p>In addition to above, <b>CHLORINE SUPPLIER</b></p> <ol style="list-style-type: none"> <li>1) Shall have facilities for conducting hydro test of tonners/ cylinders.</li> <li>2) Should be authorized for conductance and issuance of HST certificate as per requirement of Gas Cylinder Rules 2004.</li> <li>3) Shall have facilities for replacement of defective parts of tonners/ cylinders (valves, cap hood, etc.)</li> <li>4) Shall have facilities for Painting of tonners/ cylinders</li> <li>5) Shall have its own tonners which can be supplied in case of non-availability of NTPC tonners/ cylinders.</li> </ol> <p><b>QUALITY PLAN :</b></p> <p>Acceptance of material based on manufacturers test certificate sent along with consignment. Physical Inspection and weighment of cylinders/ tonners will be carried out at NTPC station site.</p> <p><b>END USE</b></p> <p>Water Treatment Plant and Cooling Water Treatment.</p>		